

Report #: R18316-D Rev.1

Date: 08/01/2018

Test Report

CUSTOMER: ATTENTION: Lisa Radcliffe

PunkinFutz

Conclusion:

<u>Tested Samples</u>	<u>Standard</u>	<u>Result</u>
Punkin Fidget Pom Poms	ASTM F963-17 – Physical and Mechanical Testing	Pass
Littles	ASTM F963-17 – Flammability	Pass
	ASTM F963-17 – Eight Heavy Elements	Pass
	CPSIA Section 101 – Total Lead in Substrates	Pass
	16 CFR 1303 – Total Lead in Coatings	Pass
	CPSIA Section 108 – Phthalates	Pass
	Washington / Maine – Phthalate	Pass
	California Prop. 65 – Lead and Cadmium	(See Results)
	California Prop. 65 – Phthalates	(See Results)

SIGNED FOR THE COMPANY BY:

William M. Baumann Laboratory Director

The test results stated in this report relate only to the item(s) tested. This test report may not be reproduced except in full, without written approval of AM Testing & Services.

Tests identified with an asterisk (*) have been subcontracted.



Report #: R18316-D Rev.1

Date: 08/01/2018

Technical Report

Sample ID: Punkin Fidget Pom Poms Littles

Sample No.

Substrate: Lycra Elastic Green
 Substrate: Lycra Elastic Pink
 Substrate: Lycra Elastic Yellow
 Substrate: Lycra Elastic Orange

5) Substrate: Lycra Elastic Blue6) Substrate: Lycra Elastic White Center Circle

Item 1: ASTM F963-17 – Physical and Mechanical Testing

Item 2: ASTM F963-17 – Flammability

Item 3: ASTM F963-17 – Eight Heavy Elements

Item 4: CPSIA Section 101 – Total Lead in Substrates

Item 5: 16 CFR 1303 – Total Lead in Coatings

Item 6: CPSIA Section 108 – Phthalates

Item 7: Washington / Maine – Phthalate

Item 8: California Prop. 65 – Lead and Cadmium

Item 9: California Prop. 65 – Phthalates



Item 1: Results for Mechanical testing according to ASTM F963-17; 16 CFR 1500 are listed below

	FHSA 16 CFR 1500					
Sample ID: Labeled Age G Tested Age Gr	roup: 4 Years+ Appropriate Warning Labeling: Nade 4 Years+ Machine Washable Plush Toy: Number of Samples: 2					
	samples underwent the use and abuse tests in accordance with the Federal Hazardo	us Substan	ces Act (F	HSA), Tit	le 16,	
Code of Federa <u>'est</u>	regulations: - FHSA	Dara	meter			
Impact Test Torque Tension Test Compression	Section 1500.53 (b)4 x 3.0 ftSection 1500.53 (e)4 in-lbfSection 1500.53 (f)15 lbf	rara	meter			
•	ASTM F963-17: Mechanical Hazards					
<u>Clause</u>	Testing Items	Р	F	N/A	NT	
4	SAFETY REQUIREMENTS					
4.1	Material quality (visual check on cleanliness)					
4.2	Flammability (16 CFR 1500 or 16 CFR 1610)					
4.3.5	Heavy elements	\boxtimes				
4.3.7	Stuffing materials (visual check on contaminations)					
4.3.8	Phthalates in pacifiers, teethers, rattlers and toys					
4.4	Electrical/Thermal Energy					
4.5	Sound producing toys	1	,	T		
4.5.1.1	Equivalent sound pressure level by close to the ear toys – L _{Aeq}			\boxtimes		
4.5.1.2	Maximum A-weighted pressure level produced by floor or table top toys $-L_{\text{Aeq}}$					
4.5.1.3	Equivalent sound pressure level produced by all other toys – L_{Aeq}			\boxtimes		
4.5.1.4	Peak sound produced by close to the ear toys – L _{Cpeak}			\boxtimes		
4.5.1.5	Peak sound pressure level – L _{Cpeak}					
4.5.1.6	Peak sound pressure level produced by percussion caps and explosive – L _{Cpeak}			\boxtimes		
4.6	Small objects					
4.6.1	Toys intended for children under 36 months of age			\boxtimes		
4.6.2.1	Mouth actuated toys			\boxtimes		
4.6.2.2.1	Mouth actuated projectile launchers for non-detachable toys			\boxtimes		
4.6.2.2.2	Mouth actuated projectile launchers for detachable toys					



4.6.2.3	Inflatable toys		\boxtimes	
4.6.3	Toys and games for 36 months to 72 months – Small part warning		\boxtimes	
4.7	Accessible edges (under 8 years of age)			
4.7.1	Potential sharp metal and glass		\boxtimes	
4.7.2	Functional sharp edge 48 to 96 months—warning		\boxtimes	
4.7.3	Metal toys		\boxtimes	
4.7.4	Molded toys		\boxtimes	
4.7.5	Exposed bolts or threaded rods		\boxtimes	
4.8	Projections (under 8 years of age)			
	General		\boxtimes	
4.8.1	Bath Toy Projections		\boxtimes	
4.9	Accessible points (under 8 years of age)			_
4.9.1	Potential sharp point	\boxtimes		
4.9.2	Functional sharp point 48 to 96 months—warning		\boxtimes	
4.9.3	Wood		\boxtimes	
4.10	Wires or rods		\boxtimes	
4.11	Nails and fasteners		\boxtimes	
4.12	Plastic film	\boxtimes		
4.13	Folding mechanism and hinges			
4.13.1	Folding mechanisms		\boxtimes	
	4.13.1.1 Automatic locking device Remain in the recommended position		\boxtimes	
	4.13.1.2 Releasing of the mechanism (> 10 lbf)			
4.13.2	Hinge line clearance		\boxtimes	
4.14	Cords, Straps, and Elastics			_
4.14.1	Cords, straps and elastics in toys (less than 18 months of age)		\boxtimes	
4.14.1.1	Break-away feature		\boxtimes	
4.14.2	Self-retracting pull cords (less than 18 months of age)		\boxtimes	
4.14.3	Pull toys (less than 36 months of age)		\boxtimes	
4.14.4	Strings and lines for flying devices			



4.14.5	Cords on Toy Bags intended for Children up to 18 months		\boxtimes	
4.15	Stability and Over-load requirement			
4.15.1	Stability of ride-on toys and toy seats		\boxtimes	
4.15.2	Sideway stability requirements (60 months of age or less) 4.15.2.1 Feet available for stabilization (Yes / No) 4.15.2.2 Feet unavailable for stabilization (Yes / No)			
4.15.3	Fore and aft stability (60 months of age or less)		\boxtimes	
4.15.4	Stationary floor toys		\boxtimes	
4.15.5	Overload requirements for ride on toys and toy seats		\boxtimes	
4.15.6	Dynamic Strength Test for Wheeled Ride-on Toys		\boxtimes	
4.16	Confined spaces			
4.16.1	Ventilation		\boxtimes	
4.16.2	Closures (Opening force ≤ 10 lb)		\boxtimes	
4.16.3	Toys that enclose the head		\boxtimes	
4.17	Wheels, tires, and axles (aged 96 months or less)		\boxtimes	
4.18	Holes, clearance, and accessibility of mechanisms			
4.18.1	Accessible clearances for moveable segments (under 96 months of age)			
4.18.2	Circular holes in rigid materials (aged 60 months or less)			
4.18.3	Chains and belts			
	4.18.3.1 Supporting chains (36 months or less in age)		\boxtimes	
	4.18.3.2 Chains for belts for ride on toys		\boxtimes	
4.18.4	Inaccessibility of mechanisms (aged 60 months or less)		\boxtimes	
4.18.5	Winding keys (under 36 months of age)		\boxtimes	
4.18.6	Coil springs		\boxtimes	
4.19	Simulated protective devices			
4.19.1	Eye protection		\boxtimes	
4.19.2	Simulated safety protective devices – label		\boxtimes	
4.20	Pacifiers (under 36 months of age)			
4.20.2	Small objects		\boxtimes	
4.20.2	Nipple length: (If > 16mm shall comply to 16 CFR 1511)		\boxtimes	



4.21.1	All Projectile toys			
4.21.1.1	Projectile with rigid leading edges		\boxtimes	
4.21.1.2	Projectiles with a foam shaft and a suction cup		\boxtimes	
4.21.1.3	Other projectile with suction cup		\boxtimes	
4.21.2.1	Small parts		\boxtimes	
4.21.2.2	Kinetic energy		\boxtimes	
4.21.2.3	Kinetic energy Density		\boxtimes	
4.21.2.4	Resilient Leading Edges		\boxtimes	
4.21.2.5	Projectiles sharp point and sharp edges		\boxtimes	
4.21.2.6	Discharge mechanisms and improvised projectiles		\boxtimes	
4.21.3	Projectiles toys without stored energy			
4.21.3.1	Mouth actuated projectile toys		\boxtimes	
4.21.3.2	Projectiles sharp point and sharp edges		\boxtimes	
4.21.3.3	Arrow		\boxtimes	
4.21.3.4	Projectiles in the form of an arrow		\boxtimes	
4.21.4	Rotors		\boxtimes	
4.22	Teethers and teething toys			
4.22.1	Rattle fixture		\boxtimes	
4.22.2	Supplemental fixture		\boxtimes	
4.23	Rattles			
4.23	16 CFR 1510 requirement and rattle fixture		\boxtimes	
4.23.1	Supplemental fixture		\boxtimes	
4.24	Squeeze toys (under age of 18 months)			
4.24.1	16 CFR 1510 dimensional requirements		\boxtimes	
4.24.2	Squeeze toys incorporating nearly spherical, hemispherical, or circular flared ends		\boxtimes	
4.25	Battery operated toys			
4.25.1	Marking of battery compartment		\boxtimes	
4.25.1.1	Toys containing non-replaceable batteries		\boxtimes	
4.25.2	The maximum direct current potential			



4.25.3	Unable to charge non-rechargeable batteries			
4.25.4	Accessibility of batteries (under 3)			
4.25.5	Accessibility of batteries – small parts			
4.25.6	Isolated circuits			
4.25.7	Surface temperature of batteries (less than 71 °C)			
4.25.8	Temperature requirement or combustion hazard			
4.25.8.1	Rechargeable lithium ion or lithium ion polymer batteries		\boxtimes	
4.25.9	Instructions on safe battery usage			
4.25.10	For Battery operated toys			
4.25.10.1	Maximum temperature measured on the insulation		\boxtimes	
4.25.10.2	Risk of fire (battery powered ride on toys)		\boxtimes	
4.25.10.3	Wiring system of battery powered ride on toys		\boxtimes	
4.25.10.4	Switches		\boxtimes	
4.25.10.5	Circuit protection device		\boxtimes	
4.25.10.6	Battery and battery charges		\boxtimes	
4.25.10.7	Short-circuit protected		\boxtimes	
4.25.10.8	Strain relief		\boxtimes	
4.25.10.9	Battery-powered ride-on toys		\boxtimes	
4.25.11	Toys contain secondary cells or secondary batteries	•		
4.25.11.1	Cells used in lithium ion or lithium ion batteries		\boxtimes	
4.25.11.2	Lithium ion or lithium ion polymer batteries		\boxtimes	
4.25.11.3	Batteries contains lithium ion or lithium ion polymer cells shall provide enclosures		\boxtimes	
4.25.11.4	Charging voltage of the battery		\boxtimes	
4.25.11.4.1	For batteries charged outside of the toy		\boxtimes	
4.25.11.5	Maximum discharge current		\boxtimes	
4.25.11.6	Normal use charging and discharging of a secondary battery		\boxtimes	
4.25.11.7	Battery charges or power adopters plug into the electric main power		\boxtimes	
4.25.11.8	Circuit wiring connected to lithium or lithium ion polymer and NiMH secondary batteries			



4.26.1	Protrusions		\boxtimes	
4.26.2	Crib mobile		\boxtimes	
4.26.3	Crib gyms		\boxtimes	
4.27	Stuffed and beanbag type toys (Tension Test on Seams)		\boxtimes	
4.28	Stroller and carriage toys		\boxtimes	
4.29	Art materials		\boxtimes	
4.30	Toy gun marking		\boxtimes	
4.31	Balloons – safety labeling		\boxtimes	
4.32	Certain toys with nearly spherical ends			_
4.32.1	Nearly spherical, hemispherical, circular flared, or dome-shaped ends of toys or components (up to the age of 18 months, for < 500g only)			
4.32.2	Nearly spherical, hemispherical, circular flared, or dome-shaped ends of toys or components (for 18 months to 48 months, for length >= 2.25in, diameter >= 0.6in, weight < 500g only)			
4.32.3	Preschool play figures (under 3 years of age)		\boxtimes	
4.33	Marbles			
4.33.1	Toys and games contain marble (at least 3 but less than 8 years of age)			
4.34	Balls			
4.34.1	Balls/loose ball in toys for children under 36 months of age			
4.34.2	Toys contain loose small ball (at least 3 but less than 8 years of age)			
4.35	Pompoms (under 3 years of age)			
4.36	Hemispherical shaped objects (under 3 years of age)			
4.36.6a	Have at least 2 openings: YES/NO		\boxtimes	
4.36.6b	Interrupted at center: YES/NO		\boxtimes	
4.36.6c	Have 3 openings: YES/NO		\boxtimes	
4.36.6d	Scalloped edge: YES/NO		\boxtimes	
4.36.6e	Opening at base or sidewall: YES/NO		\boxtimes	
4.37	Yo-Yo elastic tether toys (3 years and older)		\boxtimes	
4.37.1	Toys with an end mass greater than 0.02 kg (0.044 lb.)		\boxtimes	
4.38	Magnets (up to 14 years)			
4.38.1	Loose as-received hazardous magnet or magnetic component		\boxtimes	



4.38.2	Liberation of hazardous magnet or magnetic component		\boxtimes	
4.38.3	Magnetic/electrical experimental sets for ages 8 and up containing loose as-received hazardous magnet or as-received loosed magnetic component			
4.39	Jaw Entrapment in Handles and Steering Wheels (under age of 18 months)		\boxtimes	
4.40	Expending material		\boxtimes	
4.41	Toy chests			
4.41.1.4	Lid support		\boxtimes	
4.41.2	Hinge line clearance		\boxtimes	
4.41.3	Closures		\boxtimes	
4.41.4.1	Ventilation			
4.41.5	Toy chest instructional literature and producer's markings			
5	LABELING REQUIREMENTS			
5.3.4	Safety labeling shall be displayed on the principle display panel			
5.4	Aquatic toys			
5.5	Crib and playpen toys			
5.5.1	Age grading		\boxtimes	
5.5.2	Safety labeling			
5.6	Mobile			
5.6.1	Age grading		\boxtimes	
5.6.2	Safety labeling			
5.7	Stroller and carriage toys			
5.8	Toys intended to be assembled by an adult			
5.9	Simulated protective devices		\boxtimes	
5.10	Toys with functional sharp edges or points			
5.11	Small objects, small balls, marbles, and balloons			
5.11.1.3	Warning type size			
5.11.2	Small Parts as-received Warning Label 3yrs-6yrs		\boxtimes	
5.11.3	Small Ball Warning 3yrs +		\boxtimes	
5.11.3.1	Any toy or game intended for 3yrs-8yrs contains a small ball		\boxtimes	



5.11.4	Marbles for 3yrs +		\boxtimes	
5.11.4.1	Any toy or game intended for 3yrs-8yrs contains a marble		\boxtimes	
5.11.5	Latex Balloons		\boxtimes	
5.12	Toy caps		\boxtimes	
5.13	Art materials		\boxtimes	
5.14	Electric toys		\boxtimes	
5.15	Battery operated toys			
5.15.1	Battery powered ride on toys		\boxtimes	
5.15.2	Replaceable button or coin cell batteries		\boxtimes	
5.16	Promotional materials	\boxtimes		
5.17	Magnets		\boxtimes	
6	INSTRUCTIONAL LITERATURE			
6.1	Definition and Description	\boxtimes		
6.2	Crib and playpen toys		\boxtimes	
6.3	Mobiles		\boxtimes	
6.4	Toys intended to be assembled by an adult		\boxtimes	
6.5	Battery operated toys		\boxtimes	
6.6	Battery powered ride on toys		\boxtimes	
6.7	Toys in contact with food		\boxtimes	
6.8	Toy chests		\boxtimes	
7	PRODUCER'S MARKING			
7.1	Name YES Address YES	\boxtimes		
7.2	Battery powered ride on toys		\boxtimes	
7.3	Toy chest			
7.3.1	Name YES/NO Address YES/NO		\boxtimes	
7.3.2	Code mark or other mark		\boxtimes	
7.3.3	Model number (if significant structural design or material modification changes)		\boxtimes	



Item 2: Results for Flammability testing according to ASTM F963-16 Sec. 4.2 & Annex A5 are listed below

ASTM F963-16 Section 4.2 & Annex A5: Flammability of Solids						
Sample	Ignition Point	Burn Length (in)	Burn Time (sec)	Burn Rate (in/sec)	Pass / Fail	
1	Pomp om - strip	.60	60.0	0.01	Pass	

DNI = Did not ignite in = Inches sec = Seconds IBSE = Ignited but self extinguished

Item 3:Results for testing according to ASTM F 963 Section 4.3.5 Eight Heavy Elements (metals) per CPSIA Section 106 are listed below

	ASTM F 963 Section 4.3.5 - Eight Heavy Elements (metals) per CPSIA Section 106							
Analyta	Lead	Cadmium	Antimony	Arsenic	Barium	Chromium	Mercury	Selenium
Analyte	(Pb)	(Cd)	(Sb)	(As)	(Ba)	(Cr)	(Hg)	(Se)
Limit (mg/kg)	90	75	60	25	1000	60	60	500
Sample No.		Results (mg/kg)						
1	BDL	BDL	BDL	BDL	145.0	BDL	BDL	BDL
2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4	BDL	BDL	BDL	BDL	202.0	BDL	BDL	BDL
5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
6	BDL	BDL	1.161	BDL	103.0	BDL	BDL	BDL

BDL = Below Detectable Limit = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

Item 4: Results for Total Lead in Substrates testing according to CPSIA Section 101 are listed below

	CPSIA Section 101: Total Lead in Substrates						
	Analyte	Lead (Pb)					
	Substrate Limit (mg/kg)	100					
Sample No.	Sample Type	Results (mg/kg)					
1	Substrate	BDL					
2	Substrate	BDL					
3	Substrate	BDL					
4	Substrate	BDL					
5	Substrate	BDL					
6	Substrate	BDL					

BDL = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.

Revision 1 Date: 09/26/2018



Item 5: Results for Total Lead in Coatings testing according to CPSIA 16 CFR 1303 are listed below

CPSIA 16 CFR 1303: Total Lead in Coatings					
	Analyte	Lead (Pb)			
Coating Limit (mg/kg)		90			
Sample No.	Sample Type	Results (mg/kg)			
1	Coating	BDL			
2	Coating	BDL			
3	Coating	BDL			
4	Coating	BDL			
5	Coating	BDL			
6	Coating	BDL			

BDL = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

Item 6: Results for Phthalate testing according to CPSIA Section 108 are listed below

According to the Consumer Product Safety Improvement Act of 2008, the presence of three phthalates, DBP, BBP, and DINP, above 0.1% is prohibited in children's toys. Also, seven additional phthalates, DnOP, DINP, and DIDP, DIBP, DPENP, DHEXP, DCHP, are prohibited at a concentration of more than 1000 ppm in child care articles or toys that can be placed in a child's mouth or brought to the mouth. The 1000 ppm limit for the ten banned phthalates applies to each individual phthalate, not the total amount of these phthalates in the product.

CPSIA Section 108: Phthalates										
Phthalate	DEHP	DBP	BBP	DINP	DIDP	DIBP	DPENP	DHEXP	DCHP	DnOP
Limit (mg/kg)	1K	1K	1K	1K	1K	1K	1K	1K	1K	1K
Sample No.	Results (mg/kg)									
1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

ND = <100 mg/kg

ppm = parts per million = mg/kg = milligrams per kilogram

This report is issued by AM Testing & Services Inc. AM Testing & Services Inc.'s responsibility is limited to proven negligence and will in no case be more than the amount of the testing fees. Except by special arrangement, samples are not retained by AM Testing & Services Inc. for more than 30 days, and are the property of AM Testing & Services Inc. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone relying on this report should understand all of the details of the engagement. The name, seals, marks nor insignia of AM Testing & Services Inc. may not be used in any advertising or promotional materials without the prior written approval of AM Testing & Services Inc. The test report cannot be reproduced without prior written permission of AM Testing & Services Inc.

Revision 1 Date: 09/26/2018



Item 7: Results for Phthalate testing according to Washington / Maine are listed below

Washington / Maine: Phthalate						
Phthalate	DEP					
Limit (mg/kg)	1K					
Sample No.	Results (mg/kg)					
1	ND					
2	ND					
3	ND					
4	ND					
5	ND					
6	ND					

ND = <100 mg/kg for phthalates

ND = < 5 mg/kg for BPA

ppm = parts per million = mg/kg = milligrams per kilogram

Item 8: Results for Lead and Cadmium testing according to California Prop. 65 are listed below

California Prop. 65: Total Lead and Cadmium						
Analyte	Lead (Pb)	Cadmium (Cd)				
Sample No.	Results (mg/kg)					
1	BDL	BDL				
2	BDL	BDL				
3	BDL	BDL				
4	BDL	BDL				
5	BDL	BDL				
6	BDL	BDL				

BDL = <1.0ppm

ppm = parts per million = mg/kg = milligrams per kilogram

This data is for informational purposes only.

Item 9: Results for Phthalate testing according to California Proposition 65 are listed below

California Prop. 65: Phthalates							
Phthalate	DEHP	DBP	BBP	DINP	DIDP	DnHP	BPA
Sample No.	Results (mg/kg)						
1	ND	ND	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND	ND	ND
4	ND	ND	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND	ND	ND
6	ND	ND	ND	ND	ND	ND	ND

ND = <100 mg/kg for phthalates

ND = < 5 mg/kg for BPA

ppm = parts per million = mg/kg = milligrams per kilogram

This data is for informational purposes only.



SAMPLE PHOTOS:











*** END OF REPORT ***